

FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5

ID	AGE	SEX	UNDERLYING DISEASE	GASTRO-ESOPHAGEAL REFLUX		REGION OF REFLUX		DISTANCE FROM CARDIA	
				LIQUID	SEMI-SOLID	LIQUID	SEMI-SOLID	LIQUID	SEMI-SOLID
58	82	F	DEMENTIA	-	-				
245	81	F	DEMENTIA	-	-				
261	90	F	DEMENTIA	+	+	7	6	13	13
395	53	F	SEQUELA OF CEREBRAL INFRACTION	-	-				
467	87	F	DEMENTIA	+	-	4		13	
559	80	F	DEMENTIA	+	+	9	4	9	10
560	82	M	DEMENTIA	+	+	4	4	13	13
571	87	F	SEQUELA OF CEREBRAL INFRACTION	+	-	1		4	
576	84	M	SEQUELA OF CEREBRAL INFRACTION	+	-	12		15	
582	68	F	SEQUELA OF CEREBRAL INFRACTION	+	-	13		13	
583	82	F	DEMENTIA	-	-				
584	89	F	SEQUELA OF CEREBRAL INFRACTION	-	-				
588	91	F	SEQUELA OF CEREBRAL INFRACTION	+	-	1		2	
589	84	F	SEQUELA OF CEREBRAL INFRACTION	+	+	15	10	15	10
594	87	F	DEMENTIA	-	-				
595	68	M	SEQUELA OF CEREBRAL INFRACTION	-	-				
596	64	M	SEQUELA OF CEREBRAL HEMORRHAGE	+	-	5		8	

FIG.6

	MAY, 2000	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	
GASTRO-ESOPHAGEAL REFLUX								
LEAKAGE	—	-	—	- -	-			
VOMITING					-	-		

LIQUID ENTERAL-NUTRIENT

SEMI-SOLID ENTERAL-NUTRITION PRODUCT

FIG.7